



## Are all Cervix Cancer patients tested for HIV at your site?

Answered: 25 Skipped: 2





Cervix Cancer Education Symposium, , January 2019, South Africa



At your site, are all HIV+ patients receiving anti-retroviral therapy?


Answered: 25 Skipped: 2






### Does your country have an HPV vaccination program?


Answered: 25 Skipped: 2





What percentage of women in your region receive the HPV vaccine?


- 1. <1% to 90%
- 2. Most are low, 3 respondents were >50%



What percentage of women in your region participate in a Cervix Cancer Screening program?


28%

Range: Unknown to 50%




Is your center able to complete the following imaging studies

Answered: 25 Skipped: 2





Cervix Cancer Education Symposium, , January 2019, South Africa



# Do you have radiotherapy at your centre?


Answered: 24 Skipped: 3






Do you have a referral centre if there is no access to RT at your site?

Answered: 22 Skipped: 5






How many LINACs/ cobalt machines do you have at your site?


Answered: 22 Skipped: 5

Average of 2.0 Linacs and 0.6 Cobalt machines per site (n=15).



# Do you have access to brachytherapy?


Answered: 23 Skipped: 4






## If yes to the above, is this LDR or HDR?


Answered: 21 Skipped: 6



Cervix Cancer Education Symposium, , January 2019, South Africa




If you have access to RT - For definitive radiotherapy at your site: (Average answer)	
How many external beam fractions are given?	22
What total dose is given?	47 Gy
How many brachytherapy fractions?	3.6
Do you utilize MRI scans for brachytherapy?	No
What percentage of all patients receive radical radiotherapy with curative intent?	65%
What percentage of patients receive concurrent chemotherapy?	73%
For those not treated with curative intent, why did they not receive curative treatment?	Late Stage
On average, how many total elapsed days does it take to complete radiation therapy (external beam and brachytherapy from day 1 being the first radiation treatment)?	53 days




What percentage of patients with cervical cancer at your center are early stage (IA-IB)?

16%




What percentage of early stage cervical cancer patients treated with curative intent are treated by surgery?


57%



Is radical hysterectomy/node dissection performed at your center?


Answered: 24 Skipped: 3






Does your site have a reliable source of chemotherapy drugs for cervix cancer (cisplatin/taxol)?


Answered: 24 Skipped: 3







#### Does your site do use neoadjuvant chemotherapy?


Answered: 24 Skipped: 3






#### What is your preferred chemo regimen for recurrent Cervix Cancer?






#### What is your preferred chemo regimen for metastatic Cervix Cancer?






How Many Cervix cancer clinical trials are opened at your site?





Cervix Cancer Education Symposium, , January 2019, South Africa



# Have you ever placed a patient in on a clinical trial?


Answered: 23 Skipped: 4






Does your center have adequate research infrastructure (i.e. research coordinator, data manager, data collection, financial support, etc)?

Answered: 23 Skipped: 4







Thanks to Lindsay Burt MD and the CCRN Steering Committee for generating this survey

# Thank you

