**Gynecologic Cancer InterGroup Cervix Cancer Research Network** 



An Organization of International Cooperative Groups for Clinical Trials in Gynecologic Cancers

### Next Steps for the CCRN

January 28, 2016

**Chair: David Gaffney** 

Steering Committee: Henry Kitchener, Sang Young Ryu, Bill Small, Carien Creutzberg, D. Thinh, Anuja Jhingran, Linda Mileshkin, A.Covens (IGCS) and Monica Bacon

**Gynecologic Cancer InterGroup Cervix Cancer Research Network** 



An Organization of International Cooperative Groups for Clinical Trials in Gynecologic Cancers

### **CCRN:Next Steps**

- Support 4 on-going Clinical Trials
  - TACO
  - INTERLACE
  - SHAPE
  - OUTBACK





FIGURE 11. Cervical Cancer Incidence and Mortality Rates by World Area.

Global Cancer Statistics, 2012. CA Cancer J Clin;65-87-108, 2015



## Wellcome to TACO!












## **TACO**

GCIG/KGOG1027/TGCS2012: Randomized Phase III Clinical Trial Comparing Weekly vs Tri-weekly Cisplatin Based Concurrent Chemoradiation in Locally Advanced Cervical Cancer


# **TACO**


(Tri-weekly Administration of Cisplatin in LOcally Advanced Cervical Cancer)



### Accrual of TACO 2015.09.30

#### Golobal







#### OUTBACK (ANZGOG0902/GOG 0274 / RTOG 1174)

A Phase III trial of adjuvant chemotherapy following chemoradiation as primary treatment for locally advanced cervical cancer compared to chemoradiation alone.


Current accrual (9 Oct 2015)								
	Aust	NZ	USA	Canada	Saudi Arabia	Singapore	CCRN	TOTAL
No. of Sites open	12	3	238	5	1	1	0	260
No. of patients	116	13	488	20	5	1	0	643



#### INTERLACE








3 monthly for 2 years; 6 monthly for 3 years



#### **INTERLACE**





#### **Eligibility criteria summary**

- All patients suitable for CRT, FIGO IB1 with +ve nodes-IVA unless:
  - Nodes above aortic bifurcation
  - Disease involves lower third of vagina (FIGO IIIA)
- IMRT permitted

#### **Current status**

- 27 sites (UK) open to recruitment (6 in set-up)
- 83 patients recruited (Target recruitment 770)

#### INTERNATIONAL

- GICOM (Mexico) INCAN
- MaNGO (Italy) 3 sites in setup

#### SHAPE Oct 2015

RADICAL HYSTERECTOMY AND PELVIC NODE DISSECTION VS SIMPLE HYSTERECTOMY AND PELVIC NODE DISSECTION IN PATIENTS WITH LOW-RISK, EARLY- STAGE CERVICAL CANCER

Country	# Patients Accrued
Austria	5
Belgium	4
Canada	68
China	2
France	7
Ireland	4
South Korea	7
The Netherlands	5
United Kingdom	1
Total	103

NCIC CTG NCIC GEC

### SHAPE/CX.5 Sites Active as of Oct 5, 2015

Country	# Sites Activated
Austria	7
Belgium	5
Canada	17
China	1
France	15
Ireland	1
South Korea	1
The Netherlands	1
United Kingdom	8
Total	56

### RTOG/GOG 0724




An Organization of International Cooperative Groups for Clinical Trials in Gynecologic Cancers

Eligibility: Stage I/II, Radical Hyst, + parametria, + lymph nodes

Randomise

**Standard CRT** 

Standard CRT + Carboplatin/ Paclitaxel x 4 Gynecologic Cancer InterGroup
Cervix Cancer Research Network



### **CCRN: Next Steps**

- Develop new Clinical Trials
- Secure additional funding
- Next CCRN Meeting?