
International survey about the sentinel lymph node biopsy in cervical cancer


Survey within the GCIG

On behalf of the working group


Jalid Sehouli, Filiberto Vercellino, Marie Plante, Nadeem Abu-Rustum, Fabrice Lecuru, Stefano Greggi




Group or Country	Number of filled in	
	Questionnaires	
AGO-AUST / Austria	6	
AGO, NOGGO / Germany	32	
BGOG / Belgium	14	
DGOG / Netherland	1	
GEICO / Spain	26	
G-GOC, GOG / US	4	
GINECO / France	12	
Japan	6	
KGOG / Korea	2	
MITO, MaNGO / Italy	4	
NCIC CTG / Canada	12	
Great Britain	2	
Switzerland	2	
ANZGOG / Australia	1	
NSGO / Norway, Denmark, Sweden, Finland	11	
ISGO / Israel	5	
GICOM /Mexico	2	
Groups without country specification	24	
Sum	166	





Q2: Which department you are working in?





Q4: How many patients with invasive cervical cancer (CC) have been treated in your hospital in the last 3 years?






Q13: Do you perform SLNB in previous case? (multiple answer possible)

Antwortoptionen	Beantwortungen	
Loop electro excisional procedure (LEEP)	52,78%	57
Neoadjuvant Chemotherapie (NACT)	11,11%	12
Only in patients with no previous treatment	22,22%	24
In all cases	27,78%	30
None of these cases	12,96%	14
Befragte gesamt: 108		




Q20: If you perform FS what are the consequences for the treatment in case of pN+ in the SLNB?

Antwortoptionen	Beantwortungen	
You stop the operation and opt for chemo radiation (RCT)	36,96%	34
You stop the operation and opt for exclusive chemotherapy	1,09%	1
You go on operating and you perform systematic pelvic and aortic LNE	42,39%	39
You gon on operating and you perform systemativ lymphoectomy and radical hysterectomy	28,26%	26
Other	11,96%	11
Befragte gesamt: 92		





Q21: If you perform FS what are the consequences in case of pN0 of SLNB?

Antwortoptionen	Beantwortungen	
You still perform systematic pelvic and aortic LNE	37,50%	33
It allows you to avoid systematic lymphadenectomy	44,32%	39
It allows you to perform fertility sparing surgery	18,18%	16
Gesamt		88




Q22: In case of pN0 on FS of SLNB and presence of additional enlarged not sentinel lymph node, what do you do?






Q24: What do you use for SLNB?





Q35 Would you support international study concepts about the role of SLNB in the management of CC?

- 120 of 124 said yes
- 3 of 124 said no
- 1 of 124 is not sure



Thank you very much for your support and participation on the survey!

